

## County Distribution of Ohio's Federally Threatened, Endangered, Proposed and Candidate Species

For more information about threatened and endangered species in Ohio,  
contact the U.S. Fish & Wildlife Service office at 6950-H Americana Parkway,  
Reynoldsburg, Ohio 43068-4415 (614/469-6923)

County	Species	Status	Habitat
Adams	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Allen	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Ashland	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Ashtabula	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Athens	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	American burying beetle ( <i>Nicrophorus americanus</i> )	Endangered	
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	

County	Species	Status	Habitat
Auglaize	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Belmont	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Brown	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Butler	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Carroll	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Champaign	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Clark	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Eastern prairie fringed orchid ( <i>Platanthera leucophaea</i> )	Threatened	Mesic to wet prairies and meadows
Clermont	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
Clermont (continued)	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
	Running buffalo clover ( <i>Trifolium stoloniferum</i> )	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Clinton	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Columbiana	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Coshocton	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Fanshell mussel ( <i>Cyprogenia stegaria</i> ) (=C. irrorata)	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Purple cat's paw pearlymussel ( <i>Epioblasma obliquata obliquata</i> )	Endangered	Gravel riffles of medium to large rivers
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Crawford	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
Crawford (continued)	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Cuyahoga	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Darke	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Defiance	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Nesting; Mature forest near water
	Copperbelly water snake ( <i>Nerodia erythrogaster neglecta</i> )	Threatened	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Delaware	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Sandy beaches and shorelines
	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	

County	Species	Status	Habitat
Erie	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Piping Plover ( <i>Charadrius melodus</i> )	Critical Habitat Designated	
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Lake Erie water snake ( <i>Nerodia sipedon insularum</i> )	Threatened	Shorelines of islands in western Lake Erie
	Lakeside daisy ( <i>Hymenoxys herbacea</i> Formerly <i>H. acaulis</i> var. <i>glabra</i> )	Threatened	Dry rocky prairies; limestone rock surfaces including outcrops and quarries
Fairfield	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Fayette	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Franklin	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Scioto madtom ( <i>Noturus trautmani</i> )	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers

County	Species	Status	Habitat
Franklin (continued)	Northern riffleshell mussel ( <i>Epioblasma torulosa rangiana</i> )	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Fulton	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Gallia	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Pink mucket pearly mussel ( <i>Lampsilis abrupta</i> ) (= <i>L. orbiculata</i> )	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Geauga	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Greene	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Guernsey	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Hamilton	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
Hamilton (continued)	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
	Running buffalo clover ( <i>Trifolium stoloniferum</i> )	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Hancock	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Hardin	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Copperbelly water snake ( <i>Nerodia erythrogaster neglecta</i> )	Threatened	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Harrison	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Henry	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Henry; Mature forest near water

County	Species	Status	Habitat
Highland	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Hocking	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	American burying beetle ( <i>Nicrophorus americanus</i> )	Endangered	
	Northern monkshood ( <i>Aconitum noveboracense</i> )	Threatened	Cool, moist, shaded cliff faces or talus slopes in wooded ravines, near water seeps
	Small whorled pogonia ( <i>Isotria medeoloides</i> )	Threatened	Dry woodland; upland sites in mixed forests (second or third growth stage)
Holmes	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern prairie fringed orchid ( <i>Platanthera leucophaea</i> )	Threatened	Mesic to wet prairies and meadows
Huron	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Jackson	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Jefferson	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Knox	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water



County	Species	Status	Habitat
Lake	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Piping Plover ( <i>Charadrius melodus</i> )	Critical Habitat Designated	
Lawrence	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Pink mucket pearly mussel ( <i>Lampsilis abrupta</i> ) (= <i>L. orbiculata</i> )	Endangered	The lower Ohio River and its larger tributaries
	Running buffalo clover ( <i>Trifolium stoloniferum</i> )	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Licking	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Logan	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Lorain	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	

County	Species	Status	Habitat
Lucas	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Karner blue butterfly ( <i>Lycaeides melissa samuelis</i> )	Endangered	Pine barrens and oak savannas on sandy soils and containing wild lupines ( <i>Lupinus perennis</i> ), the only known food plant of larvae.
	Eastern prairie fringed orchid ( <i>Platanthera leucophaea</i> )	Threatened	Mesic to wet prairies and meadows
Madison	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Scioto madtom ( <i>Noturus trautmani</i> )	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel ( <i>Epioblasma torulosa rangiana</i> )	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Mahoning	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Marion	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	

County	Species	Status	Habitat
Marion (continued)	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Medina	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Meigs	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Fanshell mussel ( <i>Cyprogenia stegaria</i> ) (= <i>C. irrorata</i> )	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Pink mucket pearlymussel ( <i>Lampsilis abrupta</i> ) (= <i>L. orbiculata</i> )	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Mercer	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Miami	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Monroe	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Montgomery	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	

County	Species	Status	Habitat
Morgan	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Nesting; Mature forest near water
	Fanshell mussel ( <i>Cyprogenia stegaria</i> ) (= <i>C. irrorata</i> )	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Pink mucket pearly mussel ( <i>Lampsilis abrupta</i> ) (= <i>L. orbiculata</i> )	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Morrow	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Muskingum	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Noble	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Ottawa	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Lake Erie water snake ( <i>Nerodia sipedon insularum</i> )	Threatened	Shorelines of islands in western Lake Erie
	Eastern prairie fringed orchid ( <i>Platanthera leucophaea</i> )	Threatened	Mesic to wet prairies and meadows

County	Species	Status	Habitat
Ottawa (continued)	Lakeside daisy ( <i>Hymenoxys herbacea</i> ) (Formerly <i>H. acaulis</i> ) var. <i>glabra</i> )	Threatened	Dry rocky prairies; limestone rock surfaces including outcrops and quarries
Paulding	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Perry	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Pickaway	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Scioto madtom ( <i>Noturus trautmani</i> )	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel ( <i>Epioblasma torulosa rangiana</i> )	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Pike	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Portage	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Mitchell's satyr butterfly ( <i>Neonympha mitchellii mitchellii</i> )	Endangered	Fens; wetlands characterized by calcareous soils which are fed by carbonate-rich water from seeps and springs
	Northern monkshood ( <i>Aconitum noveboracense</i> )	Threatened	Cool, moist, shaded cliff faces or talus slopes in wooded ravines, near water seeps

County	Species	Status	Habitat
Preble	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Putnam	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Richland	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Ross	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Sandusky	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Piping plover ( <i>Charadrius melodus</i> )	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Eastern prairie fringed orchid ( <i>Platanthera leucophaea</i> )	Threatened	Mesic to wet prairies and meadows
Scioto	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
	Virginia spiraea ( <i>Spiraea virginiana</i> )	Threatened	Streambanks and floodplains

County	Species	Status	Habitat
Scioto (continued)	Small whorled pogonia ( <i>Isotria medeoloides</i> )	Threatened	Dry woodland; upland sites in mixed forests (second or third growth stage)
Seneca	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Shelby	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Stark	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
Summit	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Nesting; Mature forest near water
	Northern monkshood ( <i>Aconitum noveboracense</i> )	Threatened	Cool, moist, shaded cliff faces or talus slopes in wooded ravines, near water seeps
Trumbull	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Tuscarawas	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
Tuscarawas (continued)	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Nesting; Mature forest near water
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Union	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Scioto madtom ( <i>Noturus trautmani</i> )	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
Van Wert	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Vinton	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	American burying beetle ( <i>Nicrophorus americanus</i> )	Endangered	
Warren	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
	Running buffalo clover ( <i>Trifolium stoloniferum</i> )	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Washington	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Nesting; Mature forest near water
	Fanshell mussel ( <i>Cyprogenia stegaria</i> ) (=C. irrorata)	Endangered	Found in areas of packed sand and gravel at locations in a good current



County	Species	Status	Habitat
Washington (continued)	Pink mucket pearly mussel ( <i>Lampsilis abrupta</i> ) (= <i>L. orbiculata</i> )	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel ( <i>Plethobasus cyphus</i> )	Being evaluated for candidate status	
Wayne	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Eastern prairie fringed orchid ( <i>Platanthera leucophaea</i> )	Threatened	Mesic to wet prairies and meadows
Williams	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Copperbelly water snake ( <i>Nerodia erythrogaster neglecta</i> )	Threatened	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
	Clubshell mussel ( <i>Pleurobema clava</i> )	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel ( <i>Epioblasma torulosa rangiana</i> )	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	
	White cat's paw pearlymussel ( <i>Epioblasma obliquata perobliqua</i> )	Endangered	Firm sand or gravel riffles in small streams and medium to large rivers
Wood	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
Wyandot	Indiana bat ( <i>Myotis sodalis</i> )	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
Wyandot (continued)	Bald eagle ( <i>Haliaeetus leucocephalus</i> )	Threatened	Mature forest near water
	Eastern massasauga ( <i>Sistrurus catenatus</i> )	Candidate	
	Rayed bean mussel ( <i>Villosa fabalis</i> )	Being evaluated for candidate status	

Revised November 2003